

# Atlassian Stash

Last Modified: Tuesday, January 14, 2020

## Event Source Product Information:

**Vendor:** [Atlassian](#)

**Event Source:** Stash

**Supported Versions:** 2.12, 3.3.1, 3.5.1

**Additional Downloads:** sftpageant.conf.stash

Link: [Atlassian Stash Additional Downloads](#)

## RSA Product Information:

**Supported On:** NetWitness Platform 10.0 and later

**Event Source Log Parser:** stash

**Collection Method:** File

**Event Source Class.Subclass:** Storage.Content Management System

---

## Configure Atlassian Stash

---

You must complete these tasks to configure Atlassian Stash for File collection:

- I. Set Up Atlassian Stash to generate logs
- II. Set Up the SFTP Agent
- III. Configure the Log Collector for File Collection

### Set Up Atlassian Stash to generate logs

Note the following

- Logging is enabled by default. The only step necessary is to add a name/value pair to the **config.properties** file in the STASH home directory, as follows:  

```
audit.highest.priority.to.log=LOW
```
- RSA supports the `atlassian-stash-audit` log file, which can be found under the audit folder.

For version 3.5.1, the `atlassian-stash-audit` log is found under ***Stash\_installation***\log\audit, where `Stash_installation` is the Atlassian Stash installation directory.

- For version 3.5.1, RSA also supports the `atlassian-stash-access` log file, which can be found under the log folder.

The `atlassian-stash-access` log is found under ***Stash\_installation***\log, where `Stash_installation` is the Atlassian Stash installation directory.

### Set Up the SFTP Agent

To set up the SFTP Agent Collector, download the appropriate PDF from RSA Link:

- To set up the SFTP agent on Windows, see [Install and Update SFTP Agent](#)
- To set up the SFTP agent on Linux, see [Configure SFTP Shell Script File Transfer](#)

### Configure the Log Collector for File Collection

Perform the following steps to configure the Log Collector for File collection.

---


## To configure the Log Collector for file collection:

1. In the **NetWitness** menu, select **ADMIN > Services**.
2. In the Services grid, select a Log Collector, and from the Actions menu, choose **View > Config > Event Sources**.
3. Select **File/Config** from the drop-down menu.

The Event Categories panel displays the File event sources that are configured, if any.

4. In the Event Categories panel toolbar, click **+**.

The Available Event Source Types dialog is displayed.




5. Select the correct type from the list, and click **OK**.

Select **stash** from the **Available Event Source Types** dialog.

The newly added event source type is displayed in the Event Categories panel.



**Note:** The image below uses **Apache** as an example only. Your screen will look different, depending on which Event Source type you are configuring.



6. Select the new type in the Event Categories panel and click **+** in the Sources panel toolbar.

The Add Source dialog is displayed.

**Note:** Again, the image below uses **Apache** as an example only. Your screen will look different, depending on which Event Source type you are configuring.



- 
7. Add a File Directory name, modify any other parameters that require changes, and click **OK**.
  8. Stop and Restart File Collection. After you add a new event source that uses file collection, you must stop and restart the NetWitness File Collection service. This is necessary to add the key to the new event source.

Copyright © 2020 Dell Inc. or its subsidiaries. All Rights Reserved.

## **Trademarks**

For a list of RSA trademarks, go to [www.emc.com/legal/emc-corporation-trademarks.htm#rsa](http://www.emc.com/legal/emc-corporation-trademarks.htm#rsa).