

RSA NetWitness Logs

Event Source Log Configuration Guide



Oracle Identity Manager

Last Modified: Thursday, June 29, 2017

Event Source Product Information:

Vendor: [Oracle](#)

Event Source: Identity Manager

Versions: 9.1

RSA Product Information:

Supported On: NetWitness Suite 10.0 and later

Event Source Log Parser: oracleim

Collection Method: ODBC

Event Source Class.Subclass: Security.Access Control

Configure the Oracle Identity Manager

Warning: You must install the Oracle Identity Manager Client before completing these steps.

To configure the Oracle Identity Manager:

1. Log on to the Oracle Identity Manager Design Console with administrator credentials.
2. Expand Administration and double-click System Configuration.
3. To enable user profile auditing, follow these steps:
 - a. In the Keyboard field, type **XL.UserProfileAuditDataCollection**.
 - b. Click the Search icon.
 - c. In the Value field, type Resource Form.
 - d. Click the Save icon.

Configure NetWitness Suite for ODBC Collection

To configure ODBC collection in RSA NetWitness Suite, perform the following procedures:

- I. Ensure the required parser is enabled
- II. Configure a DSN
- III. Add the Event Source Type
- IV. Restart the ODBC Collection Service

Ensure the Required Parser is Enabled

If you do not see your parser in the list while performing this procedure, you need to download it in RSA NetWitness Suite Live.


Ensure that the parser for your event source is enabled:

1. In the **NetWitness** menu, select **Administration > Services**.
2. In the **Services** grid, select a Log Decoder, and from the **Actions** menu, choose **View > Config**.
3. In the **Service Parsers Configuration** panel, search for your event source, and ensure that the **Config Value** field for your event source is selected.

Note: The required parser is **oracleim**.

Configure a DSN

Configure a DSN (Data Source Name):

1. In the **NetWitness** menu, select **Administration > Services**.
2. In the **Services** grid, select a **Log Collector** service.
3. Click  under **Actions** and select **View > Config**.
4. In the Log Collector **Event Sources** tab, select **ODBC/DSNs** from the drop-down

menu.

5. The DSNs panel is displayed with the existing DSNs, if any.
6. Click **+** to open the **Add DSN** dialog.

Note: If you need to add a DSN template, see [Configure DSNs](#) in the NetWitness User Guide.


7. Choose a DSN Template from the drop down menu and enter a name for the DSN. (You use the name when you set up the ODBC event source type.)
8. Fill in the parameters and click **Save**.

Field	Description
DSN Template (Security Analytics 10.4 and newer)	Choose the correct Oracle template from the available choices.
DSN Name	Enter a descriptive name for the DSN
Parameters section	
ServiceName	Enter the service name
PortNumber	The default port number is 1521
HostName	Specify the hostname or IP Address of the Oracle Identity Manager database
Edition Name	Enter the name of the Oracle edition
Driver	<p>If you choose one of the native templates, you can accept the default value, /opt/netwitness/odbc/lib/R3ora26.so.</p> <p>If you choose one of the server templates, you need to point to the correct driver file on the Oracle Identity Manager server.</p>

Add the Event Source Type


In step 6 below, select **oracleim** from the **Available Event Source Types** dialog.

Add the ODBC Event Source Type:


1. In the **NetWitness** menu, select **Administration > Services**.
2. In the **Services** grid, select a **Log Collector** service.
3. Click  under **Actions** and select **View > Config**.
4. In the Log Collector **Event Sources** tab, select **ODBC/Config** from the drop-down menu.

The Event Categories panel is displayed with the existing sources, if any.

5. Click **+** to open the **Available Event Source Types** dialog.




6. Choose the log collector configuration type for your event source type and click **OK**.
7. Fill in the parameters and click **Save**.
8. In the **Event Categories** panel, select the event source type that you just added.
9. In the **Sources** panel, click **+** to open the **Add Source** dialog.



10. Enter the DSN you configured during the **Configure a DSN** procedure.
11. For the other parameters, see [ODBC Event Source Configuration Parameters](#) in the SA User Guide.

Restart the ODBC Collection Service

Restart the ODBC collection service:

1. In the **Security Analytics** menu, select **Administration > Services**.
2. In the **Services** grid, select a **Log Collector** service.
3. Click  under **Actions** and select **View > System**.
4. Click **Collection > ODBC**.
 - If the available choice is **Start**, click **Start** to start ODBC collection.
 - If the available choices are **Stop** and **Pause**, click **Stop**, wait a few moments, and then click **Start**.

Copyright © 2017 EMC Corporation. All Rights Reserved.

Trademarks

RSA, the RSA Logo and EMC are either registered trademarks or trademarks of EMC Corporation in the United States and/or other countries. All other trademarks used herein are the property of their respective owners.